

## SAFETY DATA SHEET

# Trappevask m/ekstra duft

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

##### Trade name

Trappevask m/ekstra duft

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses of the substance or mixture

PC35 Washing and cleaning products

##### Uses advised against

None known.

#### 1.3. Details of the supplier of the safety data sheet

##### Company and address

**Multi-Services ApS**

Stenderupvej 226

6092 Sønder Stenderup

Danmark

44228383

[www.multi-services.dk](http://www.multi-services.dk)

##### Contact person

Svend Olsen

##### E-mail

[kunder@multi-services.dk](mailto:kunder@multi-services.dk)

##### Revision

11/14/2022

##### SDS Version

1.0

#### 1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)

See section 4 "First aid measures".

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP).

#### 2.2. Label elements

##### Hazard pictogram(s)

##### Signal word

Not applicable.

##### Hazard statement(s)

Not applicable.

##### Safety statement(s)

##### General

-

##### Prevention

-

##### Response

-

##### Storage

-

##### Disposal

-

##### Hazardous substances

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

None known.

#### Additional labelling

EUH210, Safety data sheet available on request.

### 2.3. Other hazards

#### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched	CAS No.: 69011-36-5 EC No.: - REACH: 01-2119976362-32-0001 Index No.:	3-5%	Acute Tox. 4, H302 (ATE: 501.00 mg/kg) Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 5.05 %)	[19]
potassium palmitate	CAS No.: 2624-31-9 EC No.: 220-088-6 REACH: Index No.:	3-5%		
sodium N-(2-carboxyethyl)-N-(2-ethylhexyl)-β-alaninate	CAS No.: 94441-92-6 EC No.: 305-318-6 REACH: 2119974109-30-xxxx Index No.:	1-3%		
p-mentha-1,4(8)-dien	CAS No.: 586-62-9 EC No.: REACH: Index No.:	<0.05%	Asp. Tox. 1, H304 Skin Sens. 1B, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

#### Labelling of contents according to Detergents Regulation (EC) No 648/2004

5% - 15%

- Non-ionic surfactants

< 5%

- Amphoteric surfactants

- Soap

- Perfumes

- Preservation agent (PHENOXYETHANOL)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

#### Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water (20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

#### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

#### Burns

Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

None known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

None known.

#### Information to medics

Bring this safety data sheet or the label from this product.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Not applicable.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO<sub>2</sub>)

#### 5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

#### 6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

##### Recommended storage material

Always store in containers of the same material as the original container.

##### Storage temperature

No specific requirements

##### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### Specific end use(s)

This product should only be used for applications quoted in section 1.2

### SECTION 8: Exposure controls/personal protection

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

#### DNEL

Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	93.8 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	263 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	6.53 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	37 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	2.5 mg/kg bw/day

#### PNEC

2-phenoxyethanol

Route of exposure	Duration of Exposure	PNEC
Activated Sludge Plant		ca. 620 mg/l

Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Route of exposure	Duration of Exposure	PNEC
Activated Sludge Plant	Single	>10.000 mg/l
Freshwater		4.36 µg/L
Freshwater sediment		119.4 µg/kg
Intermittent release (freshwater)		5.44 µg/L
Intermittent release (marine water)		544 ng/L
Marine water		436 ng/L
Marine water sediment		11.94 µg/kg
Sewage treatment plant		4.35 mg/L
Soil		21.3 µg/kg

### 8.2. Exposure controls

Control is unnecessary if the product is used as intended.

#### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### Exposure scenarios

There are no exposure scenarios implemented for this product.

#### Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

#### Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

#### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

#### Measures to avoid environmental exposure

No specific requirements.

### 8.3. Individual protection measures, such as personal protective equipment

#### Generally

Use only CE marked protective equipment.

#### Respiratory Equipment

No specific requirements

#### Skin protection

No specific requirements.

#### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	0.3	> 120	EN374-2, EN374-3, EN388



Eye protection  
No specific requirements.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Colour

Green

#### Odour / Odour threshold

Pleasant

#### pH

10,0

#### Density (g/cm<sup>3</sup>)

1.01

#### Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

#### Particle characteristics

Does not apply to liquids.

#### Phase changes

##### Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

##### Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

##### Boiling point (°C)

Testing not relevant or not possible due to the nature of the product.

##### Vapour pressure

Testing not relevant or not possible due to the nature of the product.

##### Relative vapour density

Testing not relevant or not possible due to the nature of the product.

##### Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

#### Data on fire and explosion hazards

##### Flash point (°C)

Testing not relevant or not possible due to the nature of the product.

##### Auto-Ignition (°C)

Testing not relevant or not possible due to the nature of the product.

##### Flammability (°C)

Testing not relevant or not possible due to the nature of the product.

##### Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

#### Solubility

##### Solubility in water

Completely soluble

##### n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

##### Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

#### Other information

##### Other physical and chemical parameters

No data available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

None known.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	500-2000 mg/kg ·
Other information	

Product/substance	2-phenoxyethanol
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	2740 mg/kg ·
Other information	

Product/substance	2-phenoxyethanol
Test method	
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	5000 mg/kg ·
Other information	

##### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

##### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

##### Respiratory sensitisation

Based on available data, the classification criteria are not met.

##### Skin sensitisation

Based on available data, the classification criteria are not met.

##### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

##### Carcinogenicity

Based on available data, the classification criteria are not met.

##### Reproductive toxicity

Based on available data, the classification criteria are not met.

##### STOT-single exposure

Based on available data, the classification criteria are not met.

##### STOT-repeated exposure

Based on available data, the classification criteria are not met.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### Long term effects

None known.

##### Endocrine disrupting properties

None known.

##### Other information

None known.

## SECTION 12: Ecological information

### 12.1. Toxicity

Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	1-10 mg/l ·
Other information	

Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	EC50
Result	1-10 mg/l ·
Other information	

Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	1-10 mg/l ·
Other information	

Product/substance	2-phenoxyethanol
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	344 mg/l ·
Other information	

Product/substance	2-phenoxyethanol
Test method	
Species	Crustacean
Compartment	
Duration	48 hours
Test	EC50
Result	> 500 mg/l ·
Other information	

Product/substance	2-phenoxyethanol
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	EC50
Result	> 500 mg/l ·
Other information	

### 12.2. Persistence and degradability

Product/substance	Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Biodegradable	Yes
Test method	OECD 301 E
Result	90%

Product/substance	2-phenoxyethanol
Biodegradable	Yes
Test method	

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Result

**12.3. Bioaccumulative potential**

Product/substance Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched  
 Test method  
 Potential bioaccumulation No  
 LogPow 2,7700  
 BCF 98  
 Other information

Product/substance 2-phenoxyethanol  
 Test method  
 Potential bioaccumulation No  
 LogPow No data available.  
 BCF No data available.  
 Other information

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

**12.6. Endocrine disrupting properties**

None known.

**12.7. Other adverse effects**

None known.

**SECTION 13: Disposal considerations**

**Waste treatment methods**

Product is not covered by regulations on dangerous waste.  
 Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

**EWC code**

Waste group H:  
 Waste with low energy content  
 20 01 30 Detergents other than those mentioned in 20 01 29

**Specific labelling**

Not applicable.

**Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

**SECTION 14: Transport information**

	<b>14.1 UN / ID</b>	<b>14.2 UN proper shipping name</b>	<b>14.3 Hazard class(es)</b>	<b>14.4 PG*</b>	<b>14.5 Env**</b>	<b>Other information</b>
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

**Additional information**

Not dangerous goods according to ADR, IATA and IMDG.

**14.6. Special precautions for user**

Not applicable.

**14.7. Maritime transport in bulk according to IMO instruments**

No data available.

**SECTION 15: Regulatory information**



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

Restricted to professional users.

#### Demands for specific education

No specific requirements.

#### SEVESO - Categories / dangerous substances

Not applicable.

#### Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### Sources

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2. Chemical safety assessment

No

## SECTION 16: Other information

### Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H304, May be fatal if swallowed and enters airways.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

Not applicable.

#### The safety data sheet is validated by

alias

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en